









LifePO4 Battery



corrosion



U۷







# MUSE | Solar Wall Light

MUSE solar wall light offers a futuristic design with a five-year warranty for public space outdoor lighting applications where the benefits of IK10 vandal resistance are required. LifePO4 battery combined with an intelligent lighting program provides 100% power up to 280 lm for 4 hours before changing to 30% power of full production to 100% when the PIR sensor is triggered. It ensures up to four nights of lighting on a single full charge of the battery. The mission of MUSE is to comply with the requirement of the Dark Sky Association by limiting the upward light waste ratio (UWLR) to <1%. Limiting upward light reduces environmental light pollution and protects the view of our night sky for all.

We also offer the MUSE Solar wall light in a wildlife-friendly version retaining all the features of the original product. Wildlife-Friendly lighting is specifically designed to minimize the ecological impact on animals and insects.



LiFePO4 Battery



Intelliegent Control



High brightness LED beads



Biodiversity Protection



IP65 Waterproof



Remote Control



\*) IK10

**IMPACT PROTECTION** 



### Working Mode





36 hours backup with fullly charged battery



LED power is automatically adjusted to save energy.



Dusk to Dawn automatically ON/OFF



LiFePO4 battery inside more than 10 years lifetime



Equipped PIR motion sensor to save energy




High luminous flux output up to 280lm perforance

AI-GL275R/W

3 years

#### **Product Size**




#### Model

Waranty

#### Lighting performance 1.5W >280lm 5V 6.2W Solar panel Product size 323\*275\*195mm CCT 2200K~6000K LiFePO4 battery 38.4WH 3.2V Charge & discharge time 5 & >24 hours Sensor type PIR motion sensor Fixture color Black /Grey CE IP65 IK10 Certificates





## **AURORAS INNOTECH GUANGDONG CO., LTD.**

@ www.auroraslighting.com

© +86 180 2307 5361

